L Number	Hits	Search Text	DB	Time stamp
-	2489	709/217.ccls.	USPAT;	2004/04/26
		1 1 0 0 1 2 1 1 1 0 0 1 0 1	US-PGPUB;	14:46
			EPO; JPO;	1,0
			DERWENT;	
			IBM_TDB	
	10	709/217.ccls. and volume same mounting	USPAT;	2004/04/26
	10	705/217.ccis. and volume same mounting	US-PGPUB;	14:47
			EPO; JPO;	17.77
			DERWENT;	
			IBM_TDB	
_	559	(volume same mount\$8).ti.	USPAT;	2004/04/26
]		(votamo samo mounapo). a.	US-PGPUB;	14:50
			EPO; JPO;	14.50
			DERWENT;	
		·	IBM_TDB	
_	0	(network same volume same mount\$8).ti.	USPAT;	2004/04/26
		(US-PGPUB;	14:48
			EPO; JPO;	11,70
			DERWENT;	
1			IBM_TDB	
1_	0	(network near5 volume near5 mount\$8).ti.	USPAT;	2004/04/26
_		motwork hears volume hears mountwop.u.	US-PGPUB;	14:48
			EPO; JPO;	14.40
			DERWENT;	
			IBM_TDB	
	o	(network near10 volume near10 mount\$8).ti.	USPAT;	2004/04/26
-		(network hear to volume hear to mountago).u.	US-PGPUB;	14:48
			EPO; JPO;	14:40
			DERWENT;	
			IBM_TDB	
_	5	((volume same mount\$8).ti.) and (client and	USPAT;	2004/04/26
		server)	US-PGPUB;	14:50
		Screen	EPO; JPO;	14.50
			DERWENT;	
			IBM_TDB	
_	14673	(volume same mount\$8).ab.	USPAT;	2004/04/26
	1,0,0	(Totalio ballo moanapo),ab.	US-PGPUB;	14:50
			EPO; JPO;	11,00
			DERWENT;	
			IBM_TDB	
1_	20	((volume same mount\$8).ab.) and (client and	USPAT;	2004/04/26
	[server)	US-PGPUB;	14:50
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15	(((volume same mount\$8).ab.) and (client and	USPAT;	2004/04/26
		server)) not (((volume same mount\$8).ti.) and	US-PGPUB;	14:58
		(client and server))	EPO; JPO;	
		(DERWENT;	
			IBM_TDB	
-	83663	client and server	USPAT;	2004/04/26
1			US-PGPUB;	14:58
			EPO; JPO;	1
			DERWENT;	
			IBM_TDB	
	L	<u> </u>	ממו"ומיו	

-	88271	client and server	USPAT;	2004/04/26
			US-PGPUB;	14:58
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	15886	(client and server) and volume	USPAT;	2004/04/26
			US-PGPUB;	15:06
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
- !	3726	((client and server) and volume) and mount\$8	USPAT;	2004/04/26
		((US-PGPUB;	14:59
1			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	3526	(((client and server) and volume) and mount\$8)	USPAT;	2004/04/26
-	3520	and (ID or identi\$7 or Password login or log adj	US-PGPUB;	15:07
		,		13.07
		in)	EPO; JPO;	
			DERWENT;	
	1000	///	IBM_TDB	0004/04/05
-	1009	((((client and server) and volume) and mount\$8)	USPAT;	2004/04/26
		and (ID or identi\$7 or Password login or log adj	US-PGPUB;	15:07
1		in)) and authent\$8	EPO; JPO;	
			DERWENT;	
			IBM_TDB	
-	181	(((((client and server) and volume) and mount\$8)	USPAT;	2004/04/26
		and (ID or identi\$7 or Password login or log adj	US-PGPUB;	15:08
		in)) and authent\$8) and (plug adj in or plugin or	EPO; JPO;	
		plug-in)	DERWENT;	
			IBM_TDB	
-	55	((((((client and server) and volume) and mount\$8)	USPAT;	2004/04/26
		and (ID or identi\$7 or Password login or log adj	US-PGPUB;	15:08
		in)) and authent\$8) and (plug adj in or plugin or	EPO; JPO;	
		plug-in)) and cookie	DERWENT;	
			IBM_TDB	
-	34	(((((((client and server) and volume) and mount\$8)	USPAT;	2004/04/26
		and (ID or identi\$7 or Password login or log adj	US-PGPUB;	15:01
		in)) and authent\$8) and (plug adj in or plugin or	EPO; JPO;	
		plug-in)) and cookie) and profile	DERWENT;	
		- -	IBM_TDB	
-	258	(client and server) and volume near5 mount\$8	USPAT;	2004/04/26
		,	US-PGPUB;	15:06
			EPO; JPO;	
			DERWENT;	
			IBM_TDB	
_	549	(client and server) and (volume disk adj drive file	USPAT;	2004/04/26
	1	adj server logical adj partition physical partition)	US-PGPUB;	15:07
		near5 mount\$8	EPO; JPO;	==:**
			DERWENT;	
			IBM_TDB	
1.	495	((client and server) and (volume disk adj drive file	USPAT;	2004/04/26
	7,53	adj server logical adj partition physical partition)	US-PGPUB;	15:08
		near5 mount\$8) and (ID or identi\$7 or Password	EPO; JPO;	10.00
		login or log adj in)	DERWENT;	
		login or log adjinj		
	105	Walions and named and furthers did at the M	IBM_TDB	2004/04/06
_	105	, ,,	USPAT;	2004/04/26
	1	adj server logical adj partition physical partition)	US-PGPUB;	15:08
	1	near5 mount\$8) and (ID or identi\$7 or Password	EPO; JPO;	
	1	login or log adj in)) and authent\$8	DERWENT;]
	<u> </u>		IBM_TDB	

-	496	((client and server) and (volume disk adj drive file	USPAT;	2004/04/26
		adj server logical adj partition physical partition)	US-PGPUB;	15:08
		near5 mount\$8) and (ID or identi\$7 or Password	EPO; JPO;	
		login or log adj in authent\$8)	DERWENT;	
			IBM_TDB	
-	67	(((client and server) and (volume disk adj drive file	USPAT;	2004/04/26
		adj server logical adj partition physical partition)	US-PGPUB;	15:08
		near5 mount\$8) and (ID or identi\$7 or Password	EPO; JPO;	
		login or log adj in authent\$8)) and (plug adj in or	DERWENT;	
		plugin or plug-in)	IBM_TDB	
-	12	((((client and server) and (volume disk adj drive file	USPAT;	2004/04/26
		adj server logical adj partition physical partition)	US-PGPUB;	15:08
		near5 mount\$8) and (ID or identi\$7 or Password	EPO; JPO;	
		login or log adj in authent\$8)) and (plug adj in or	DERWENT;	
		plugin or plug-in)) and cookie	IBM_TDB	
-	14	6119131.URPN.	USPAT	2004/04/26
				15:24
-	0	6525894.URPN.	USPAT	2004/04/26
				15:29
-	0	6525894.URPN.	USPAT	2004/04/26
				15:29
-	3	("5712740" "5971281" "6181498").PN.	USPAT	2004/04/26
				15:29
-	8	5971281.URPN.	USPAT	2004/04/26
				15:29
-	1345	mount\$8 same remote same volume	USPAT;	2004/04/27
			US-PGPUB;	09:21
			EPO; JPO;	
			DERWENT;	•
			IBM_TDB	
-	2984	mount\$8 same remote same (volume disk adj	USPAT;	2004/04/27
		drive file adj server logical adj partition physical	US-PGPUB;	14:30
		partition)	EPO; JPO;	
		·	DERWENT;	
	4511		IBM_TDB	0004704707
-	4511	mount\$8 same (remote distant far) same (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition physical partition)	US-PGPUB;	09:33
		physical partition)	EPO; JPO; DERWENT;	
			IBM_TDB	
	88408	client and server	USPAT;	2004/04/27
-	00408	chent and server	US-PGPUB;	09:26
	1		EPO; JPO;	09.20
			DERWENT;	
			IBM_TDB	
-	230	(client and server) and (mount\$8 same (remote	USPAT;	2004/04/27
		distant far) same (volume disk adj drive file adj	US-PGPUB;	09:27
		server logical adj partition physical partition))	EPO; JPO;	
		J. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1. 1.	DERWENT;	
			IBM_TDB	
-	110	((client and server) and (mount\$8 same (remote	USPAT;	2004/04/27
		distant far) same (volume disk adj drive file adj	US-PGPUB;	09:27
		server logical adj partition physical partition)))	EPO; JPO;	
		and HTTP	DERWENT;	
			IBM_TDB	
-	42	(((client and server) and (mount\$8 same (remote	USPAT;	2004/04/27
		distant far) same (volume disk adj drive file adj	US-PGPUB;	09:27
		server logical adj partition physical partition)))	EPO; JPO;	
		and HTTP) and api	DERWENT;	
			IBM_TDB	

- 13 ((((client and server) and (mount\$8 same (remote USPAT; 2004/distant far) same (volume disk adj drive file adj US-PGPUB; 09:27	
	04/2/
server logical adj partition physical partition))) EPO; JPO;	İ
and HTTP) and api) and Xml DERWENT;	
IBM_TDB	
- 4671 mount\$8 same (remote distant far) same (volume USPAT; 2004/	04/27
disk adj drive file adj server logical adj partition US-PGPUB; 09:35	07/2/
physical partition disk adj drive floppy hard adj EPO; JPO;	
drive compact adj disk) DERWENT;	
IBM_TDB	
- 584 mount\$8 same (remote distant far) same (volume USPAT; 2004/	04/27
disk adj drive file adj server logical adj partition US-PGPUB; 09:35	
physical partition disk adj drive floppy hard adj EPO; JPO;	
drive compact adj disk).ab. DERWENT;	
IBM_TDB	
- 55 (mount\$8 same (remote distant far) same (volume USPAT; 2004/	04/27
disk adj drive file adj server logical adj partition US-PGPUB; 15:40	,
physical partition disk adj drive floppy hard adj EPO; JPO;	
drive compact adj disk).ab.) and (plug\$5 hot adj DERWENT;	
swap\$8 plug with play) IBM_TDB	
- 4 ((mount\$8 same (remote distant far) same USPAT; 2004/	04/27
(volume disk adj drive file adj server logical adj US-PGPUB; 14:29	•
partition physical partition disk adj drive floppy EPO; JPO;	
hard adj drive compact adj disk).ab.) and (plug\$5 DERWENT;	
hot adj swap\$8 plug with play)) and server IBM_TDB	
- 88408 client and server USPAT; 2004/	04/27
US-PGPUB; 14:29	
EPO; JPO;	
DERWENT;	
IBM_TDB	
- 1847 (client and server) and (AFS NFS) USPAT; 2004/	04/27
US-PGPUB; 14:30	
EPO; JPO;	
DERWENT;	
IBM_TDB	04.407
- 1683 ((client and server) and (AFS NFS)) and (volume USPAT; 2004/	04/2/
disk adj drive file adj server logical adj partition US-PGPUB; 14:30	
physical partition) EPO; JPO; DERWENT;	
IBM_TDB	
- 709 (((client and server) and (AFS NFS)) and (volume USPAT; 2004/	04/27
disk adj drive file adj server logical adj partition US-PGPUB; 14:31	· 1/2/
physical partition)) and mount\$8 EPO; JPO;	
DERWENT;	
IBM_TDB	
- 643 (((client and server) and (AFS NFS)) and (volume USPAT; 2004/	04/27
disk adj drive file adj server logical adj partition US-PGPUB; 14:31	,
physical partition)) and API EPO; JPO;	
DERWENT;	
IBM_TDB	
- 238 ((((client and server) and (AFS NFS)) and (volume USPAT; 2004/	04/27
disk adj drive file adj server logical adj partition US-PGPUB; 14:46	•
physical partition)) and API) and XML EPO; JPO;	
DERWENT;	
IBM_TDB	
- 233 (((((client and server) and (AFS NFS)) and (volume USPAT; 2004/	04/27
disk adj drive file adj server logical adj partition US-PGPUB; 14:32	•
physical partition)) and API) and XML) and (ID or EPO; JPO;	
login or password or Identification or log adj in) DERWENT;	
1 1 1 0 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	

		_		
-	204	((((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition	US-PGPUB;	14:32
		physical partition)) and API) and XML) and (ID or	EPO; JPO;	
		login or password or Identification or log adj in))	DERWENT;	
		and authen\$8	IBM_TDB	
_	21	((((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
l		disk adj drive file adj server logical adj partition	US-PGPUB;	14:32
		physical partition)) and API) and XML) and (ID or	EPO; JPO;	12
		login or password or Identification or log adj in))	DERWENT;	
		and authen\$8) and cookie	IBM_TDB	
	169	((((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
	105	disk adj drive file adj server logical adj partition	US-PGPUB;	15:40
		physical partition)) and API) and XML) and (ID or	EPO; JPO;	15.40
		login or password or Identification or log adj in))	DERWENT;	
		and (plug adj in or plugin or plug-in or plug with	IBM_TDB	
	160	in)	I IODAM	0004/04/07
-	168	((((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition	US-PGPUB;	14:33
		physical partition)) and API) and XML) and (ID or	EPO; JPO;	
•		login or password or Identification or log adj in))	DERWENT;	
		and (plug adj in or plugin or plug-in or plug with	IBM_TDB	}
		in)) and http		
-	164	(((((((client and server) and (AFS NFS)) and	USPAT;	2004/04/27
		(volume disk adj drive file adj server logical adj	US-PGPUB;	14:34
		partition physical partition)) and API) and XML)	EPO; JPO;	
		and (ID or login or password or Identification or	DERWENT;	
	:	log adj in)) and (plug adj in or plugin or plug-in or	IBM_TDB	
		plug with in)) and http) and (IP or internet adj		
		protocol)		
-	2	((((((((client and server) and (AFS NFS)) and	USPAT;	2004/04/27
		(volume disk adj drive file adj server logical adj	US-PGPUB;	14:34
		partition physical partition)) and API) and XML)	EPO; JPO;	
	İ	and (ID or login or password or Identification or	DERWENT;	
	:	log adj in)) and (plug adj in or plugin or plug-in or	IBM_TDB	
		plug with in)) and http) and (IP or internet adj		
		protocol)) and (map\$8 adj table)		
-	163	((((((((client and server) and (AFS NFS)) and	USPAT;	2004/04/27
		(volume disk adj drive file adj server logical adj	US-PGPUB;	14:35
		partition physical partition)) and API) and XML)	EPO; JPO;	
		and (ID or login or password or Identification or	DERWENT;	
		log adj in)) and (plug adj in or plugin or plug-in or	IBM_TDB	
		plug with in)) and http) and (IP or internet adj		
		protocol)) and (table)		
-	163	((((((((((client and server) and (AFS NFS)) and	USPAT;	2004/04/27
		(volume disk adj drive file adj server logical adj	US-PGPUB;	14:35
		partition physical partition)) and API) and XML)	EPO; JPO;	
		and (ID or login or password or Identification or	DERWENT;	
		log adj in)) and (plug adj in or plugin or plug-in or	IBM_TDB	
		plug with in)) and http) and (IP or internet adj		
		protocol)) and (table)) and address\$8		
-	157	((((((((((((((((((((((((((((((((((((((USPAT;	2004/04/27
		(volume disk adj drive file adj server logical adj	US-PGPUB;	14:36
		partition physical partition)) and API) and XML)	EPO; JPO;	
		and (ID or login or password or Identification or	DERWENT;	
		log adj in)) and (plug adj in or plugin or plug-in or	IBM_TDB	
		plug with in)) and http) and (IP or internet adj		
		protocol)) and (table)) and address\$8) and module		

-	81	(((((client and server) and (AFS NFS)) and (volume disk adj drive file adj server logical adj partition	USPAT; US-PGPUB;	2004/04/27 15:40
		physical partition)) and API) and XML) not ((((((((((client and server) and (AFS NFS)) and	EPO; JPO; DERWENT;	
		(volume disk adj drive file adj server logical adj	IBM_TDB	•
		partition physical partition)) and API) and XML) and (ID or login or password or Identification or		
Ì		log adj in)) and (plug adj in or plugin or plug-in or		
		plug with in)) and http) and (IP or internet adj protocol)) and (table)) and address\$8) and module)		
_	16	((((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition	US-PGPUB;	15:41
		physical partition)) and API) and XML) not (((((((((client and server) and (AFS NFS)) and	EPO; JPO; DERWENT;	
		(volume disk adj drive file adj server logical adj	IBM_TDB	
		partition physical partition)) and API) and XML) and (ID or login or password or Identification or		
		log adj in)) and (plug adj in or plugin or plug-in or		;
	•	plug with in)) and http) and (IP or internet adj		
		protocol)) and (table)) and address\$8) and module)) and (plug\$5 hot adj swap\$8 plug with		
		play)		
-	12	((((((client and server) and (AFS NFS))) and (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition physical partition)) and API) and XML) not	US-PGPUB; EPO; JPO;	15:41
		((((((((((((((((((((((((((((((((((((((DERWENT;	
		(volume disk adj drive file adj server logical adj partition physical partition)) and API) and XML)	IBM_TDB	
		and (ID or login or password or Identification or		
		log adj in)) and (plug adj in or plugin or plug-in or		
		plug with in)) and http) and (IP or internet adj protocol)) and (table)) and address\$8) and		
		module)) and (plug adj in or plugin or plug-in or		
_	16	plug with in) ((((((client and server) and (AFS NFS)) and (volume	USPAT;	2004/04/27
		disk adj drive file adj server logical adj partition	US-PGPUB;	15:41
		physical partition)) and API) and XML) not	EPO; JPO;	
		((((((((((((((((((((((((((((((((((((((DERWENT; IBM_TDB	
		partition physical partition)) and API) and XML)	_	
		and (ID or login or password or Identification or log adj in)) and (plug adj in or plugin or plug-in or		
		plug with in)) and http) and (IP or internet adj		
		protocol)) and (table)) and address\$8) and		
		module)) and (plug\$5 hot adj swap\$8 plug with play plug adj in or plugin or plug-in or plug with		
	_	in)		
-	6	(((((((client and server) and (AFS NFS)) and (volume disk adj drive file adj server logical adj partition	USPAT; US-PGPUB;	2004/04/27 15:41
		physical partition)) and API) and XML) not	EPO; JPO;	10.11
		((((((((((((((((((((((((((((((((((((((DERWENT;	
		(volume disk adj drive file adj server logical adj partition physical partition)) and API) and XML)	IBM_TDB	
		and (ID or login or password or Identification or		
		log adj in)) and (plug adj in or plugin or plug-in or plug with in)) and http) and (IP or internet adj		
		protocol)) and (table)) and address\$8) and		
		module)) and (plug\$5 hot adj swap\$8 plug with play plug adj in or plugin or plug-in or plug with		
	<u> </u>	in)) and cookie		